

team
performance

ESPRIT 2000

Resilience^{SR}
ENDURING PROTECTION



ESPRIT 2000

Resilience^{SR}
ENDURING PROTECTION

Applications	Hospitality, Contract, Healthcare, Office, Automotive, RV, Marine, Education	
Width	54"	Ultra Violet Resistant to 500 Hours
Roll Size	30 Yards	Bacterial Resistant per AATCC 147
Weight	30 Ounces per Linear Yard	Mildew Resistant per ASTM G21
Backing	Polyester/Rayon Knit	Sulfide Stain Resistant
Abrasion Resistance	100,000+ Double Rubs	Oil Resistant
	Per ASTM D 4157 Wyzenbeek	Heat Sealable
Cold Crack	-20°F	

Flammability Requirements*:

California Fire Code Technical Bulletin No. 117, Section E

UFAC Class 1

BIFMA

NFPA 260

MVSS 302

Boston Fire Department Code Test BFD IX-1

Port Authority of New York / New Jersey

IMO A.652(16)8.2

Federal Specification A-A-2950

May Comply with California 133 when Tested with Suitable Components.

Cleaning Instructions:

Prompt cleaning is always recommended.

Ordinary dirt and stains can be removed with a mild soap and water.

Rinse the soiled area with clean water and dry with lint-free cloth.

Esprit will resist, without serious discoloration, the repeated actions

of normal dilutions of non-abrasive chlorine or ammonia-based cleaners.

Resilience^{SR}
ENDURING PROTECTION

Resilience^{SR} represents the latest technology in Faux Leather and Vinyl Protection, enhancing performance where it is needed the most:

Stain Resistance: With proper care, materials treated with **Resilience^{SR}** can be easily cleaned and will guard against stains maintaining the desired surface appearance for years to come.

Anti-Microbial & Anti-Bacterial Protection: Products treated with **Resilience^{SR}** are engineered to inhibit bacterial growth, as well as fungus, mold and mildew spores, resulting in a more hygienic environment.

Abrasion Resistance: **Resilience^{SR}** provides additional wear properties and surface durability to any Vinyl or Faux Leather, thereby increasing the life of the material.

Resilience^{SR} is not visible, and does not affect the hand of the material. **Resilience^{SR}** is engineered to last, even after repeated cleaning and wear. Specify **Resilience^{SR}** for the most demanding healthcare and hospitality applications.

*This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. 8.5

teamvalue

NEW SOHO




Super White

Pearl

Ivory

Mushroom



Sand

Tan

Yellow Gold

Chocolate Chip




Brite Yellow


Tiger Lily

Georgia Clay

American Beauty



Dark Cherry



Nova Rose

Mauve

Tea Rose

Claret

Burgundy

Plum

Concord



Avocado

Fedora Grey

Taupe

Silver Grey

Silver Surf

Black Walnut

Espresso



Jamaican Jade

Turquoise

Aqua Green

Grotto

Kelly Green

Forest

Yew Green



Copenhagen Blue

Blue Ridge

Sky Blue

Royal Blue

Indigo

Graphite

Ebony

teamvalue

NEW SOHO

teamvalue delivers: **quality - colors - price.**

- 54" Width
- 40 Yard Rolls
- 28/29 Ounces per Linear Yard
- Suitable for most upholstery applications
- Clean with mild soap and water

NEW SOHO is manufactured to meet flammability* requirements contained in the following specifications:

- California Fire Code Technical Bulletin No. 117, Section E
- UFAC Class 1

SEAQUEST



LOTION



CHALK ROLL 'N' PEAT



TOO WHITE



CHALK



WHITE ICE



SEA WHITE

SEAQUEST

Performance Grade Expanded Vinyl

Designed Specifically for All Types of Marine and Outdoor Applications

team performance delivers: durability - strength - colors

All colors available in both Expanded Vinyl and Roll 'N Pleat.

General Information

- 54" Wide
- Expanded Vinyl: 40 Yard Rolls
- Roll 'N Pleat: 10-20 Yard Rolls
- 32 Ounces Per Linear Yard
- Cold Crack -10°F
- UV Resistant (1000 Hours)
- Mildew Treated Face and Back
- Clean with Mild Soap and Water

Manufactured to meet the following flammability* codes:

- California Fire Code Technical Bulletin 117, Section E
- Motor Vehicle Safety Standard 302
- UFAC Class 1
- May comply with California 133 when tested with suitable components

*This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. 12.4



OYSTER



PEARL OYSTER



BUFF



DUNE



MIST



MARBLE



SMOKE



ANCHOR



HAMPTON



PELICAN



HAVASU



RUBY



LEMON PEEL



NAVEL



LIGHTHOUSE RED



AMERICAN BEAUTY



EMERALD



TEAL



COVE



FOREST



ROYAL



MIDNIGHT



NAVY



EBONY

YMPHONY *Ultra*

THE ELEGANT LOOK AND FEEL OF SOFT GLOVE LEATHER


Symphony Ultra represents the latest development in faux leather combining an exceptionally soft and subtle hand with outstanding strength and durability.

Specifications	• 54" Wide • 30 Yard Rolls • Thickness: 0.85mm • -20°F Cold Crack • UV Resistant (500 Hours)	• Superior Abrasion Resistance to 100,000 + Double Rubs (ASTM D 4157 - Wyzenbeek) • Superior Tensile and Tear Strength per FTM 5136 and ASTM D 751-98 • Sulfide Stain Resistant
Cleaning Instructions	• Prompt cleaning is always recommended. • Ordinary dirt and stains can be removed with a mild soap and water. • Rinse the cleaned area with clean water and dry with lint-free cloth.	• Symphony Ultra will resist, without serious discoloration, the repeated actions of normal dilutions of non-abrasive chlorine or ammonia-based cleaners.
Flammability * Requirements	• ASTM E 84 • IMO A.652 (16) 8.2 • California Fire Code Technical Bulletin No. 117, Section E • MVSS 302 • BIFMA • UFAC Class 1	• May Comply with California 133 when Tested with Suitable Components • Can be Treated to Pass FAA 25.853 - Contact Sales Representative for Information

Distributed by:


*This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

SYMPHONY *ultra*



ZIN

THE ELEGANT LOOK AND FEEL OF SOFT GLOVE LEATHER



ASPEN



VAPOR



MORTAR



CUMULUS



SILVER FROST



HAZE



FLINT



SHIPLEY



GRAPHITE



CREAM



TWINE



OAT



LATTE



HONEYNUT



WHEAT



ARMADILLO



SPICE



HAVANA



MAMBO



SIREN



GARNET



NAPA



GRAPE



ZIN



SCUBA



CAPRI



ARCTIC



SPA



OCEAN



WASABI



OLIVE TREE



RACING GREEN



SHERWOOD




ABYSS

aqua-tex® II

HEAVY DUTY PLEASURE BOATING FABRICS

- Impermeable
- Fire Resistant
- Tear Resistant
- Mildew / Rot Resistant
- Ultraviolet Resistant
- Abrasion Resistant



White/White



Nautical Blue/Nautical Blue

Black/Black

Ivory/Ivory

Tawny/Tawny

TYPICAL APPLICATIONS

- Awnings • Bimini Covers
- Binnacle Covers • Boom Covers
- * Cockpit Covers • Convertible Tops
- Cushion Covers • Dinghy Covers
- Dodgers • Equipment Covers
- Flying Bridge Covers
- Hatch Covers • Mooring Covers
- Navy Tops • Outboard Motor Covers
- Sail Bags • Side & Rear Curtains
- * Weather Cloths • Wheel Covers

This information is offered for your general guidance and has been obtained by modern test methods. It is true and accurate to the best of our knowledge at time of printing. However, it should not be construed as specifications and is subject to revision as added knowledge and experience on this product are gained.



White/Blue

White/Grey

Ivory/Grey

TYPICAL PERFORMANCE PROPERTIES (Average)

Fabric Weight	12.4 oz./sq. yd.	
Roll Length	45 yds.	
Roll Width	62 in.	
Roll Weight	65 lbs.	
Adhesion (peel)	16.5 lbs.	
Flame Retardance		
Flame Time	0.5 sec.	
Char Length	4.1 in.	
Breaking Strength	Warp	Fill
	136 lbs.	117 lbs.
Tear Resistance	20 lbs.	120 lbs.
Hydrostatic Resistance	188 PSI	
Wet Shrinkage	0.8 %	
Cold Crease	-35°F No Cracking	

Brun-Tuff[®] VRP 1854 / 9 x 9 • 18 oz. 54"

Now Available in Two Camouflage Colors



Item # 890480 Desert Camo/Tan




Item # 808700 Camo/OD




Brun-Tuff® VRP 1862 / MS • 18 oz.

Conforms to Military Specification Mil-C-43006 G


- Rot Resistant
- High Tensile Strength
- Flexible
- Tear Resistant
- Waterproof
- Flame Retardant




Forest Green
(#805300)




Yellow
(#805100)




Royal Blue
(#805800)




Grey
(#805400)



Red
(#805700)




Black
(#805200)




White
(#805900)



Navy
(#805500)



Olive Drab
(#805600)



Orange
(#805650)

Brun-Tuff® VRP 1862 / MS • 18 oz. • 62"

HEAVY DUTY VINYL LAMINATED POLYESTER FABRICS
FEATURING:

- High Tear & Tensile Strength
- Excellent Cleanability
- Abrasion Resistance
- Heat Sealability
- Weather Resistance
- Wide Color Selection
- Immediate Availability!
- Fire Retardancy
- Rot Resistance
- Waterproof

Product Characteristic Chart

Product Properties	Test Method	Results
Base Fabric	5050	9 x 9.5 1300 D. Polyester
Weight	5041	18 +/- 1 oz. / y ²
Width		62"
Embossing		Taffeta
Roll Size	yards/roll	50
Tear Strength	5134 (Warp x Fill)	140 x 140 lbs.
Tensile Strength	5100 (Warp x Fill)	310 x 305 lbs./inch
Hydrostatic	5512	425 psi
Adhesion	5970	25 lbs. / inch
Flame Resistance	5903	
After Flame	(seconds)	2 x 2
Char Length	(inches)	3.5 x 3.5
Flame Resistance	NFPA 701 (s)	pass
Military Specification	Mil-C-43006 G, Type 1, Class 1	pass

Please note above values represent typical data and are subject to slight variations.
These figures are not intended to be used as specifications.

IDEAL FOR:

**Stationary Tarpaulins • General Purpose Covers
Drop Cloths • Curtains • Windscreens
and Many More Protective Applications!**

Brun-Tuff® VRN 300 / 14 oz. 9x9


- Rot Resistant
- Tear Resistant
- Excellent Cleanability
- High Tensile Strength
- Waterproof
- Dimensional Stability
- Flexible
- Flame Retardant
- Heat Sealable



Red (811600)



Royal Blue (811300)




Beige (811100)



Forest Green (811350)




Black (811200)



Green (811400)




White (811700)



Yellow (811800)




Grey (811500)



Orange (811550)

PREMIUM COLORS



Purple (811650)



Maroon (811655)

Product Characteristic Chart

Product Properties	Test Method	Results
Base Fabric		9 x 9 1000 D. Polyester
Weight	5041	14 oz. PSY
Width		62"
Put Up		75 yards per roll
Roll Weight		115 lbs.
Embossing		Crush
Adhesion	5970	20 lbs. / 2 inch
Tear Strength	5134 (Warp x Fill)	75 Warp x 75 Fill
Tensile Strength	5100 (Warp x Fill)	220 Warp x 220 Fill
Flame Resistance	5903 (Warp x Fill)	
After Flame		2 sec. x 2 sec.
Char Length		4 sec. x 4 sec.

*The above figures represent typical data and are subject to slight variations.
These figures are not intended to be used as specifications.*

IDEAL FOR:

Athletic Gym Mats • Gym Divider Curtains • Tarpaulins • Sports Bags
Sports Net Dividers • Laundry Cart Covers • Field Covers
Protective Pad Covers • Landing Pit Covers
General Purpose Covers and Many More Applications

tonneau-tex™ sp

- Wide Color Selection
- Dimensional Stability
- Superior Cleanability
- Impermeability
- Rot Resistance
- Economical Wide Width

Elk Embossing



BLACK
Crush #823100 Elk #823020

Crush Embossing



OFF-WHITE
Crush #823300 Elk #823050



BUCKSKIN
Crush #823200 Elk #823030



NAVY
Crush #823250 Elk #823040



GREY
Crush #823400 Elk #823035



BROWN
Crush #823150 Elk #823025

"Premium" Colors



WINE
Crush #823350 Elk #823060



SILVER
Crush #823450 Elk #823070



RED
Crush #823320 Elk #823055

tonneau-tex™ SP

Our Strongest Tonneau Cover Fabric Featuring:

- High Tear & Tensile Strength
- Weather Resistance
- Abrasion Resistance
- Dimensional Stability
- Excellent Cleanability
- Rot Resistance
- Wide Color Selection
- Immediate Availability

PRODUCT CHARACTERISTIC CHART

Base Fabric		100% Polyester
Weight	5041	18oz. PSY
Width		78"
Roll Size		50 yds./roll
Roll Weight		125 lbs./roll
Embossing		Crush, Elk
Adhesion	5970	14 lbs. / 2 inch
Tear Strength	5134 (Warp x Fill)	25 Warp x 20 Fill
Tensile Strength	5100 (Warp x Fill)	183 Warp x 145 Fill
Hydrostatic Resistance	5512	267 p.s.i.

**Tonneau Covers as well as protective covering applications
requiring a minimum number of seams.**

ATLANTIS™

M A R I N E F A B R I C S

Boat-Top 1262 / 18 x 18 12 oz. 62" Kid Embossing*



White / Spray Blue
(# 819250)




White / White
(# 819300)



Ivory/Ivory
(# 819400)

Marine Topping 2454 24 oz. (per linear yard) 54" Kid Embossing




Off-White (face) / Denim (back)
(# 821100)



Off-White (face) / Light Grey (back)
(# 821200)

Seat and Cushion Underlining 54"



Black
(# 890728)



White
(# 890725)



Grey
(# 890723)

.020 Gauge Clear Vinyl
High Clarity
Double Polished Vinyl



.020 x 54" Clear DPC
(# 550100)

ATLANTIS™

M A R I N E F A B R I C S

- *High Tear & Tensile Strength*
- *UV & Mildew Resistant*
- *Flame Retardant*
- *Waterproof*
- *Heat Sealability*
- *Excellent Cleanability*
- *Rot Resistant*
- *Dimensional Stability*

Product Characteristic Chart

Product Properties	Test Method	Results	Results	Results
Style		Boat-Top 1262	Marine Topping 2454	Underlining
Base Fabric		Polyester	Polyester / Cotton	Polyester/Cotton
Weight		12 oz. / y ²	24 oz. / lin. yd. +/- 1 oz.	9 oz. / y ²
Width		62"	54"	54"
Put Up		50 yards/roll	60 yards/roll	75 yards/roll
Embossing		Kid	Kid	Skiver
Adhesion	5970	10 x 10	10 x 9	9 x 9
Tear Strength	5134	75 x 75	12 x 10	8 x 8
Tensile Strength	5100	220 x 220	150 x 110	100 x 90
Flame Resistance		FR	Pass MVSS - 302	Non-FR
After Flame	5903	2.0 sec x 2.0 sec.		
Char Length	5903	4.0 x 4.0		

Please note above values represent typical data and are subject to slight variations. These figures are not intended to be used as specifications.

IDEAL FOR:

Bimini Tops • Navy / Convertible Tops • Boom Tents • Dodgers
 Side & Aft Curtains • Splash Curtains • Awnings
 Mooring Covers • Hatch Covers • Equipment Covers
 And Many Other Protective Applications




VINYL COATED MESH 9 X 9


- Rot Resistant
- Tear Resistant

- High Tensile Strength
- Heat Sealable


- Flexible
- Breathable




STANDARD GREEN




WHITE




RED




BERMUDA BLUE




BLACK




BFI BLUE




FLUORESCENT ORANGE




SATURN YELLOW



STANDARD YELLOW



C. GREEN



STANDARD ORANGE

VCMTM VINYL COATED MESH

9 X 9 • 6.5 OZ. • 62"

IDEAL FOR:

**Tennis Court Windscreens & Backstops • Truck Covers • Divider Curtains
Underwater & Storage Bags • Safety Apparel • Spa & Pool Covers
Outdoor Furniture • Sporting Goods • Agricultural Shade Cloth • Wet Mops
And Much More!**

Product Characteristic Chart

Product Properties	Test Method	Results
Base Fabric		9 x 9 100 Denier Polyester
Weight	5041	6.5 oz p.s.y.
Width		62"
Put Up	yards/roll	100 yards
Roll Weight		70 lbs.
Tensile Strength	5100 (warp x fill)	209 warp x 204 fill

Colors & Stock Numbers


Color	62"	5"
White	825600	825598
White FR (Flame Retardant)	825601	na
Red	825500	825505
Standard Green	825400	825405
C. Green	892255	825465
Black	825100	825120
Bermuda Blue	825200	825207
BFI Blue	891360	825555
Fluorescent Orange	825300	825303
Standard Orange	825305	825320
Saturn Yellow	825350	825353
Standard Yellow	825355	825395

Custom Slitting Available Upon Request




VINYL COATED MESH 18 X 18


- Rot & Tear Resistant
- Heat Sealable
- Flexible
- High Tensile Strength
- UV & Mildew Resistant
- Breathable




Teal
(# 825938)




Burgundy
(# 825936)




Beige
(# 825934)




White
(# 825800)




Grey
(# 825935)



Pacific Blue
(# 825939)



Brown
(# 825937)



Vanilla
(# 825927)



VINYL COATED MESH 18 X 18

- *UV & Mildew Resistant*
- *Breathable*
- *Excellent Cleanability*
- *Lightweight*
- *Tear Resistant*
- *Weather Resistant*
- *Smooth*
- *Strong*
- *Rot Resistant*
- *Flame Resistant*

Product Characteristic Chart

Product Properties	Test Method	Results
Base Fabric		18 x 18 500D Polyester
Weight	5041	9 oz. / y ² +/- 1 oz.
Width		62"
Put Up	yards/roll	100 yds / roll
Roll Weight		97 lbs.
Tensile Strength	5100 (warp x fill)	200 x 200 lbs / inch
Tear Strength	5134 (warp x fill)	60 x 60 lbs.
Flexural Fatigue		1500 cycles
Flame Resistance*		Non-FR

Please note above values represent typical data and are subject to slight variations. These figures are not intended to be used as specifications.


*Available in a FR formulation in 1500 yd production-run quantities.
Additional charges apply.

Ideal For:

**R.V. Windshield Covers, R.V. Awnings, Windscreens,
California Screen Room Enclosures, R.V. Awning Drop-shades,
Window Shades, Umbrellas & Many More Protective Applications**

ENERGY SHIELD™

Reflective Laminated Fabrics



Energy Shield 100 - 18 oz.
54" Taffeta Embossing - Stock #807400



Energy Shield 200 - 10 oz.
54" Taffeta Embossing - Stock #817200



Energy Shield II - 12 oz.
54" Taffeta Embossing - Stock #817205


WeatherMAXTM 80

Solution-dyed  fabric featuring...

- Durability
- Breathability
- Mildew Resistance
- Dimensional Stability
- Water Resistance
- Cracking Resistance
- UV Resistance for Long Term Color & Strength Retention




Pacific Blue
(781100)




Black
(781500)




Yellow
(781200)




Cap. Navy
(781150)



Toast
(781350)



Forest Green
(781250)



Light C Grey
(781450)



Burgundy
(781400)



Red
(781300)



White
(781550)

WeatherMAXTM 80

Solution-dyed  fabric featuring...

- Durability
- Breathability
- Mildew Resistance
- Dimensional Stability
- Water Resistance
- Cracking Resistance
- UV Resistance for Long Term Color & Strength Retention

Product Characteristic Chart

Product Properties	Test Method	Results
Base Fabric		100% Solution Dyed Satura TM
Weight		8 oz./y ² (270 g/m ²)
Width		60"
Put Up		75 yds./roll
Finish		HydroMax TM
Spray Rating	AATCC 22	100
Breaking Strength	ASTM 5034 (warp x fill)	490 lbs. x 390 lbs.
Hydrostatic Pressure	AATCC 127	26" (65 cm)
Tear Strength	ASTM D2262	20 lbs. x 18 lbs.
Minimum UV Resistance		1500 hours

Please note above values represent typical data and are subject to slight variations.
These figures are not intended to be used as specifications.

CLEANING INSTRUCTIONS

WeatherMaxTM fabrics may be spot washed by using a soapy solution of a mild detergent and lukewarm water.

Rinse thoroughly with clean water to remove the soap and allow to air dry.

For mildew stains, prepare a solution of one (1) cup of bleach plus half (1/2) cup of mild detergent per gallon of water. Spray on the entire area and allow soaking. Rinse with clean water and allow to air dry.

LIMITED WARRANTY

The limited warranty covers only the fabric being unserviceable because of loss of strength and/or color from normal conditions of exposure. That includes sunlight, mildew and atmospheric chemicals. Labor and installation supplied by the fabricator and/or installer are not covered. The consumer is responsible for normal care, cleaning and maintenance of the fabric.

The limited warranty runs for 5 years from the date of original purchase for WeatherMaxTM 80.

The limited warranty runs for 3 years from the date of purchase for WeatherMaxTM 65.

SCFTI will supply new fabric, free of charge, to replace the unserviceable fabric.

Call your dealer who will contact SCFTI to request fabric replacement. A valid copy of the original invoice, showing the date of purchase, will be required for fabric replacement.


This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

CORDURA[®] NYLON

5 9 / 6 0", D W R

1000 DENIER
1 OZ.
URETHANE
COATING

500 DENIER
3/4 OZ.
URETHANE
COATING







Midnight*



Forest*



Steel




Celery



Barn Red*



Bordeaux*



Peacock




Sand



Mariner*




Clay




Old Navy




Blue Skies



Coal*



Coffee



Saffron




Stone



Chocolate



Moss



Mallard



Flannel




Khaki



Mandarin



Amethyst+



Silver Dust*



Raven*



Snow



Sunshine



Fl. Orange**+

Woodland Green
Camouflage+


All colors are stock items. Color selections may change due to market requirements. Stock not limited to colors represented on card. Nylon dye stuffs have a tendency to migrate from dark shades to light shades during washing or dry cleaning. Therefore, we cannot guarantee that color transfer will not occur if light shades and dark shades are mixed together in the same end item.

All colors available on 1000 DENIER * Color available on 500 DENIER +Color subject to surcharge ** Color not fast to light

Care Instructions: Cold water wash, tumble dry low setting. May be dry cleaned, no trichlorethylene.

DUPONT CORDURA[®] PLUS

NYLON



1000 Denier

Royal



1000 Denier

Woodland Camouflage

500 X 1000 DENIER



500 x 1000 Denier

Black


500 DENIER



500 Denier Cordura

Red

BALLISTIC




1050 Denier


Black

DURABLE WATER REPELLENT - URETHANE COATED


59/60" WIDTH




Kelly




Forest Green




Olive Drab




Teal




Royal




Navy




Purple




Wine



Red



Orange




Athletic Gold




White




Beige




Tan




Dk. Brown



Silver



Smoke




Black


A variety of colors, coatings, & finishes may be ordered to customer specifications.




NAVY




ROYAL




HUNTER




RED




SMOKE




ORANGE




WINE




FOREST




OLIVE



TAUPE



DARK BROWN



YELLOW

1000 DENIER TEXTURED NYLON

IMPERIAL[®]

Imperial[®] Promo

Imperial[®] 70

Imperial[®] 200


Imperial[®] 600

Imperial[®] 630


Imperial[®] 1200

Imperial[®] 1800

IMPERIAL® 70



Wine



White

Baby Blue

Purple

Plum



Neon Lemon

Yellow

Orange

Neon Orange



Rose Pink

Pink

Neon Pink

Red



Neon Green

Kelly Green

Teal

Hunter

Tan

Taupe

Chestnut



Lt. Grey

Dk. Grey

Azure Blue


Lt. Blue

Royal

Dk. Blue

Black

IMPERIAL® PROMO



Wine



Sun Yellow

Antique Gold

Red



Plum

Dk. Teal

Forest



White

Lt. Grey

Dk. Grey

Royal

Dk. Blue


Black

IMPERIAL® 200



Black

IMPERIAL® 600



Burgundy



White

Natural

Taupe

British Khaki




Sun Yellow

Safety Orange

Red

Purple



Kelly Green

Hunter

Olive Drab

Emerald

Camouflage

Brown



Silver

Charcoal


Royal

Navy

Patriot Blue

Black

IMPERIAL® 630



Burgundy



Red

Hunter




Royal

Patriot Blue



Black

IMPERIAL® 1200




Wine/Black




Bronze/Black

Emerald/Black



Royal/Black


Plum/Black



Grey/Black

Black

IMPERIAL® 1800




Plum



British Khaki

Emerald Green



Dk. Navy

Black

IMPERIAL®

Applications: Bags, Sporting Goods, Ad Specialties, Luggage, Banners and Many Other Uses

Pattern	Fabric	Thread Count	Coating	Width (trimmed)	Weight (linear yd)	Thickness	Roll Size
Imperial® Promo	70 Denier Nylon	110 x 80	PVC (0.21 mm)	58"	16.5 oz.	0.30 mm	100 Yards
Imperial® 70	70 Denier Nylon	110 x 80	PVC (0.26 mm)	58"	19.5 oz.	0.35 mm	50/100 Yards
Imperial® 200	210 Denier Nylon	66 x 52	PVC (0.22 mm)	58"	20.7 oz.	0.40 mm	50 Yards
Imperial® 600	600 x 300 Denier Polyester	35 x 33	PVC (0.28 mm)	58"	24.0 oz.	0.62 mm	50 Yards
Imperial® 630	600 x 300 Denier Polyester	35 x 33	PVC (0.15 mm)	58"	18.5 oz.	0.52 mm	50 Yards
Imperial® 1200	1200 x 1200 Denier Polyester	28 x 26	PVC (0.20 mm)	58"	28.0 oz.	0.70 mm	50 Yards
Imperial® 1800	1800 Denier Polyester	18 x 16	PVC (0.20 mm)	58"	26.0 oz.	0.75 mm	50 Yards


Features

Heat Sealable
Silk Screenable

Flammability Requirements*

California Fire Code Technical Bulletin No. 117, Section E
UFAC Class 1

MILHAM SUPPLY CO,INC.
OFF :843 873 9979 FAX : 875 9864
* NEW PRODUCT FOR 2006*
1000 DENIER CORDURA
UNIVERSAL DIGITAL CAMO
WATER PROOF, HI TEAR STRENGTH
UV RESISTANT
(\$ 789.00 A ROLL)




WE HAVE ALL TYPES OF CAMO,CALL FOR PRICING

MILHAM SUPPLY
1(888)870-9979
MILHAMSUPPLY@SC.RR.COM

CAMOUFLAGE FABRICS

3 DAY DESERT



6 DAY DESERT CAMO




DIGITAL DESERT CAMO



INTERNATIONAL DIGITAL CAMO



WOODLAND CAMO



DIGITAL WOODLAND CAMO



PLEASE CALL FOR ALL OF YOUR CAMO MATERIAL NEEDS.

MILHAM SUPPLY
1(888)870-9979
MILHAMSUPPLY@SC.RR.COM

COURIER BANK BAG FABRIC
WATERPROOF 200 DENIER NYLON
58 1/2" WIDE X 50 YD LONG

NAYY BLUE(890175)



BLACK(890155)



RED(890185)




BURGUNDY(890150)



MED. BLUE(890170)



EMERALD GREEN(890190)




PRODUCT PROPERTY CHART

Product Properties	Test Method	Product Style
Weight	5041	14 - 16 oz. P.S.Y.
Roll Put Up		50 yards / roll
Roll Weight		75 lbs. / roll
Hydrostatic Resistance	5512	303 P.S.I.
Width		58 1/2"
Nylon Fabric Construction		200 Denier
Tensile Strength	5100 (Warp x Fill)	375 Warp x 400 Fill

#8 DUCK - 18 Oz. Sq. Yd.

WATER REPELLENT




Red




Linen




Bottle Green




Black



Cobalt Blue



O.D.



Navy

#10 DUCK - 14.73 Oz. Sq. Yd.




Cobalt Blue



Slicker Yellow



Red




Burgundy



Navy



Forest Green



O.D.



Linen



Chocolate Brown



Black

10.10 Oz. Sq. Yd. - ARMY DUCK

WATER REPELLENT



Forest Green



Cobalt Blue



Forest Green



Red



Navy



Black

10 Oz. Sq. Yd. - SINGLE FILLED DUCK


PURE FINISH




Navy



White



Yellow




Tan



Forest Green



O.D.




Royal



Red



Burgundy




Black

A variety of colors & finishes may be ordered to customer specifications.

X-STATIC



COLORSPEC® CLASSICS




XS407

Cobalt



XS806

Ash



XS502

Forest




XS303

Tinto



XS805

Graphite



XS408

Ink



XS901

Anthracite

QUICK SHIP II



CITADEL
EBONY



CITADEL
OXFORD



CITADEL
CINDER



CITADEL
PEWTER



CITADEL
EBONY/CINDER



CITADEL
NICKEL



CITADEL
TAUPE



CITADEL
PARCHMENT



CITADEL
PUTTY



CITADEL
WALNUT



CITADEL
HOPSCOTCH



CITADEL
YALE



CITADEL
SCARLET



CITADEL
RUBY



CITADEL
CORDOVAN



CITADEL
MAROON



CITADEL
GEMSTONE



CITADEL
BERRY



CITADEL
GRAPE



CITADEL
TWILIGHT



CITADEL
FOREST



CITADEL
ALPINE



CITADEL
BAY



CITADEL
SEASPRAY



CITADEL
PETRA



CITADEL
IMPERIAL/NEWPORT



CITADEL
IMPERIAL




CITADEL
DENIM



CITADEL
NEWPORT



CITADEL
LAKE



Norman-Brick
90234-113



Gabriel-Blueberry
90231-99




Martin-Sierra
90228-383



Norman-Cranberry
90234-290



Lena-Rosedust
90235-149



Jasmine-Wine
90233-01



Lena-Burgundy
90235-134



Marie-Cranberry
90229-290



Martin-Redwood
90228-234



Marcel-Multi
90226-215



Gabriel-Red/Green
90231-91



Marie-Blue/Gold
90229-56



Gabriel-Blue/Green
90231-72



Martin-Hay Ride
90228-455



Marie-Seaspray
90229-189



Lena-Ciel
90235-87



Marcel-Fireworks
90226-183




Martin-Navy
90228-206



Norman-Navy
90234-206



Lena-Navy
90235-206



Norman-Eggplant
90234-217



Gabriel-Jewel
90231-141